

The State Botanical Garden Of Georgia

Connect to Protect Native Plant Sale 2018

Availabilty List

<i>Scientific Name</i>	Common Name	Light requirement	Water Use	Height	Bloom Period
<u>Biennials</u>					
<i>Monarda punctata</i>	Spotted Bee Balm	Sun-Part Shade	Medium	3-4 ft.	Aug.-Sep.
<u>Ferns</u>					
<i>Dennstaedtia punctilobula</i>	Hayscented Fern	Shade	Moist-average	12-18 in.	NA
<i>Dryopteris marginalis</i>	Eastern Wood Fern	Shade	Dry-moist	12-18 in.	NA
<i>Osmunda claytoniana</i>	Interrupted Fern	Part Shade-Shade	Medium-high	2-4 ft.	NA
<i>Polystichum acrostichoides</i>	Christmas Fern	Shade	Average-dry	18-24 in.	inconspicuous
<u>Graminoids</u>					
<i>Carex cherokeensis</i> *NEW	Cherokee Sedge	Full Sun to Full Shade	Wet-Moist	18 in.	April-June
<i>Carex muskingumensis</i> *NEW	Palm Sedge	Sun-Part Shade	High	1-2 ft.	Summer
<i>Carex pensylvanica</i> *NEW	Oak Sedge	Part Shade	Average	8-10 in.	May
<i>Carex woodii</i> *NEW	Pretty Sedge	Shade-Part Shade	Average	6-12 in.	Apr.-May
<i>Chasmanthium latifolium</i>	Upland River Oats	Sun-Shade	Medium-low	2-4 ft.	Jun.-Sep.
<i>Chasmanthium sessiliflorum</i>	Longleaf Woodoats	Sun-Shade	Medium-low	2-4 ft.	Jun.-Sep.
<i>Eragrostis spectabilis</i>	Purple Lovegrass	Sun-Part Shade	Low-medium	1-3 ft.	Aug.-Nov.
<i>Muhlenbergia capillaris</i>	Pink Muhly Grass	Sun	Dry-medium	3 ft.	Jul.-Oct.
<i>Panicum amarum</i> 'Dewy Blue'	Bitter Switchgrass	Sun-pt. sun	Medium-low	3-4 ft.	Aug.-Nov.
<i>Panicum virgatum</i>	Switchgrass	Sun	Low	4-6 ft.	Fall
<i>Piptochaetium avenaceum</i> *NEW	Blackseed speargrass	Sun-Part Shade	Average-dry	18-24 in.	spring
<i>Rhynchospora colorata</i>	Whitetop Star Sedge	Sun-Part Shade	Medium	1-3 ft.	Jun.-Aug.
<i>Schizachyrium scoparium</i> 'Standing Ovation'	Little Bluestem	Sun-Part Shade	Low	18-24 in.	Jun.-Dec.
<i>Sporobolus clandestinus</i>	Hidden Dropseed	Sun	Medium-low	3-4 ft.	Fall
<i>Sporobolus clandestinus</i>	Hidden Dropseed	Sun	Medium-low	3-4 ft.	Fall
<i>Sporobolus heterolepis</i> *NEW	Priarie Dropseed	Sun	Average	18 in.	Summer

<i>Scientific Name</i>	Common Name	Light requirement	Water Use	Height	Bloom Period
Perennials					
<i>Allium cernuum</i>	Nodding Onion	Sun	High	1-3 ft.	Jun.-Aug.
<i>Allium stellatum</i> *NEW	Priarie Onion	Sun-Part Shade	Medium-low	14 in.	Jul.Aug.
<i>Amorpha fruticosa</i>	Lead Plant	Sun-Shade	High-low	20-30 ft.	Apr.-May
<i>Amsonia hubrichtii</i>	Threadleaf Blue Star	Sun-Part Shade	Low-high	4-5 ft.	Jun.-Jul.
<i>Amsonia tabernaemontana</i>	Blue Star	Sun-Part Shade	High-low	2-3 ft.	May-Jun.
<i>Anemone virginiana</i>	Tall Thimbleweed	Sun-Part Shade	Low-medium	1-3 ft.	May-Jul.
<i>Antennaria plantaginifolia</i>	Pussy Toes	Full - Part Sun	Average-dry	4-8 in.	April
<i>Aquilegia canadensis</i>	Wild Columbine	Part Shade-Shade	Low-medium	1-3 ft.	Feb.-Jul.
<i>Aruncus diocus</i>	Goat's Beard	Sun-Part Shade	Moist-average	4-6 ft.	Apr.-May
<i>Asclepias incarnata</i>	Swamp Milkweed	Sun-Part Shade	High	3-6 ft.	Jun.-Oct.
<i>Asclepias tuberosa</i>	Butterflyweed	Sun	Low-medium	2 ft.	May-Sep.
<i>Asclepias tuberosa</i> 'Hello Yello'	Butterflyweed	Sun	Low-medium	2 ft.	May-Sep.
<i>Athyrium filix-femina</i>	Southern Lady Fern	Shade	Medium-high	12-18 in.	NA
<i>Baptisia australis</i>	Wild Blue Indigo	Sun	Medium	3-6 ft.	Apr.-Jul.
<i>Calamintha georgiana</i>	Georgia Calamint	Sun	Low	1-3 ft.	Aug.-Oct.
<i>Callicarpa americana</i>	American Beautyberry	Part Shade	Low	3-6 ft.	May-Jul.
<i>Callisia rosea</i> 'Morning Grace' *NEW	Piedmont Roseling	Part Shade	Average	8-10 in.	Summer
<i>Chelone glabra</i>	White Turtlehead	Part Shade-Shade	Wet-Moist	2-3 ft.	Aug.-Sep.
<i>Chrysogonum virginianum</i> var. <i>australis</i>	Green and Gold	Part Shade	Medium	2 in.	Apr.-Oct.
<i>Chrysogonum virginianum</i> var. <i>virgatum</i>	Green and Gold	Part Shade	Medium	2 in.	Apr.-Oct.
<i>Chrysopsis mariana</i>	Maryland Goldenaster	Sun-Part Shade	Low	1-2 ft.	Aug.-Oct.
<i>Conradina canescens</i>	Sandhills Rosemary	Sun	Medium-low	3-6 ft.	Feb-Apr.
<i>Coreopsis auriculata</i>	Mouse-eared Coreopsis	Sun-Part Shade	Medium	4-8 in.	May-Jul.
<i>Coreopsis major</i>	Whorled Coreopsis	Sun-Part Shade	Average-dry	3-4 ft.	May-Jul.
<i>Coreopsis pubescens</i>	Star Tickseed	Sun	Low-medium	1-3 ft.	Jun.-Sep.
<i>Echinacea purpurea</i>	Purple Coneflower	Sun-Part Shade	Medium	1-3 ft.	Apr.-Sep.
<i>Elephantopus carolinianus</i>	Carolina Elephant's Foot	Shade-Part Shade	Medium	1 ft.	May-Aug.
<i>Equisetum hyemale</i> *NEW	Rough Horsetail	Sun	High	1 ft.	none
<i>Eryngium yuccifolium</i>	Rattlesnake Master	Sun	Medium-low	3-6 ft.	May-Aug.
<i>Eupatorium fistulosum</i>	Hollow-stem Joe Pye Weed	Sun-Part Shade	Medium-high	4-7 ft.	Jul.-Sep.

<i>Scientific Name</i>	<i>Common Name</i>	<i>Light requirement</i>	<i>Water Use</i>	<i>Height</i>	<i>Bloom Period</i>
Perennials					
<i>Eupatorium maculatum</i>	Spotted Joe-Pye Weed	Sun-Part Shade	Medium-high	5-7 ft.	Jul.-Sep.
<i>Helenium autumnale</i>	Sneezeweed	Sun-Part Shade	Average	1-3 ft.	Aug.-Oct.
<i>Helianthus longifolius</i>	Longleaf Sunflower	Sun-Part Shade	Average	3-5 ft.	Aug.-Oct.
<i>Helianthus microcephalus</i>	Small Woodland Sunflower	Sun-pt. sun	Dry	3-5 ft.	Jul.-Sep.
<i>Heliopsis helianthoides</i> *NEW	Oxeye Sunflower	Sun-Part Shade	Low-high	4-5 ft.	Jun.-Aug.
<i>Heuchera americana</i>	Alumroot	Shade-Part Shade	Medium-low	12 in.	Apr.-May
<i>Heuchera villosa</i> 'Autumn Bride' *NEW	Alumroot	Shade-Part Shade	Medium-low	12 in.	Apr.-May
<i>Hibiscus aculeatus</i>	Comfort Root	Shade-Part Shade	Medium	3-6 ft.	Jun.-Oct.
<i>Hibiscus grandiflora</i>	Swamp Rosemallow	Part Shade	Wet-Moist	6 ft.	Mar.-Aug.
<i>Ilex verticillata</i>	Winterberry	Sun-Part Shade	High-medium	20 ft.	Apr.-May
<i>Iris cristata</i> 'Tennessee White'	Dwarf Crested Iris	Shade	Average-moist	6-10 in.	Apr.
<i>Kosteletskya virginica</i>	Seashore Mallow	Sun	Average	4 ft.	August
<i>Lespedeza hirta</i>	Hairy Bushclover	Sun	Medium-low	18 in.	Fall
<i>Liatis aspera</i>	Spiked Blazing Star	Sun	Medium-low	3-4 ft.	Jul.-Aug.
<i>Liatis microcephala</i>	Smallheaded Blazing Star	Sun	Medium-low	3 ft.	Jul.-Aug.
<i>Lobelia cardinalis</i>	Cardinal Flower	Sun-Shade	Low	3-6 ft.	May-Oct.
<i>Lobelia cardinalis</i> 'Black Truffle' *NEW	Cardinal Flower	Sun-Shade	Low	3-6 ft.	May-Oct.
<i>Lobelia siphilitica</i> *NEW	Great Blue Lobelia	Sun-Part Shade	High	1-3 ft.	Jul.-Oct.
<i>Lysimachia lanceolata</i>	Lanceleaf Loosestrife	Shade-Part Shade	Average	1 ft.	Jun.-Jul.
<i>Manfreda virginica</i>	False Aloe	Sun	Medium-low	12-18 in.	May-Aug.
<i>Marshallia obovata</i> *NEW	Piedmont Barbara's Buttons	Sun	Low	2 ft.	Apr.-May
<i>Marshallia ramosa</i>	Southern Barbara's Buttons	Part Sun	Average-moist	to 1 ft.	May-Aug.
<i>Mitchella repens</i>	Partridge Berry	Part Shade- Shade	Medium-high	ground-cover	spring
<i>Monarda fistulosa</i>	Wild Bergamot	Sun	Dry-medium	3 ft.	Jul.-Sep.
<i>Mondarda dydima</i> 'Jacob Cline'	Scarlet Beebalm	Sun-Part Shade	Medium	4 ft.	May-Sep.
<i>Oenothera fruticosa</i> var. <i>fruticosa</i>	Sundrops	Sun-Part Shade	Dry-medium	8-12 in.	May-Jun.
<i>Oenothera fruticosa</i> var. <i>subglobosa</i>	Flatrock Sundrops	Sun-Part Shade	Dry-medium	6 in.	Apr.-Oct.
<i>Packera tomentosa</i>	Wooly Ragwort	Shade-Part Shade	Average	2-3 ft.	Mar.-Apr.
<i>Parthenium integrifolium</i>	Wild Quinine	Sun	Average-dry	3 ft.	Jun.-Sep.
<i>Penstemon australis</i>	Eustis Lake Beardtounge	Part Shade	Dry	1-3 ft.	Apr.-Jul.

<i>Scientific Name</i>	Common Name	Light requirement	Water Use	Height	Bloom Period
Perennials					
<i>Penstemon digitalis</i>	Penstemon	Sun-Part Shade	Low-high	1-2 ft.	May-Jul.
<i>Penstemon laevigatus</i>	Eastern Smooth Beardtongue	Sun - Shade	Dry-medium	2-3 ft.	Apr.-May
<i>Phlox glaberrima</i> 'Morris Berd' *NEW	Morris Berd Smooth Phlox	Part Sun	Moist-dry	1-2 ft.	May-Jul.
<i>Phlox paniculata</i> 'Jeana'	Garden Phlox	Sun-Part Shade	Medium	2-4 ft.	Jun.-Sep.
<i>Physostegia virginiana</i> 'Miss Manners'	Obedient Plant	Sun	Dry-moist	18-24 in.	Aug.-Nov.
<i>Physostegia virginiana</i> 'Pink Manners'	Obedient Plant	Sun	Dry-moist	18-24 in.	Aug.-Nov.
<i>Pityopsis graminifolia</i>	Silkleaved Aster	Sun-Part Shade	Average-dry	18 in.	Aug.-Sep.
<i>Pycnanthemum muticum</i> *NEW	Blunt Mountain-mint	Shade-Part Shade	Medium	1-3 ft.	Jul.-Sep.
<i>Pycnanthemum pycnanthemoides</i>	Hoary Mountain-mint	Sun-Shade	Medium	2-4 ft.	Jun.-Sep.
<i>Ratibida pinnata</i>	Gray-headed Coneflower	Sun	Medium-low	4 ft.	May-Jun.
<i>Rhexia nashii</i>	Maid Marion	Sun-Part Shade	High	1-3 ft.	May-Jul.
<i>Rudbeckia fulgida</i>	Blackeyed Susan	Sun-Part Shade	Dry-moist	3-6 ft.	May-Sep.
<i>Sarracenia flava unknown hybrid</i>	Yellow Trumpet Pitcherplant	Sun	High	up to 3 ft.	May-Aug.
<i>Sarracenia leucophylla unknown hybrid</i>	Whitetop Pitcherplant	Sun	High	up to 3 ft.	May-Aug.
<i>Scutellaria incana</i>	Hoary Skullcap	Part Shade- Shade	Average-dry	2-3 ft.	Jul.-Sep.
<i>Silene ovata</i>	Blue-ridge Catchfly	Part Shade- Shade	Dry-moist	1-3 ft.	Jun.-Sep.
<i>Silphium asteriscus</i>	Starry Rosinweed	Sun-Part Shade	Medium-low	2-5 ft.	Jun.-Sep.
<i>Solidago petiolaris</i>	Downy Goldenrod	Sun	Medium-low	3-6 ft.	Sep.-Oct.
<i>Solidago ptarmicoides</i>	Whitetop Solidago	Sun-Part Shade	Low	18-24 in.	Sep.-Oct.
<i>Solidago rugosa</i> 'Fireworks'	Wrinkleleaf Goldenrod	Sun-Part Shade	Medium-low	1-3 ft.	Sep.-Nov.
<i>Spigelia marilandica</i>	Indian Pink	Part Shade	Average	2-3 ft.	Apr.-May
<i>Symphoricarpos orbiculatus</i> *NEW	Coralberry	Part Shade-Shade	Average-moist	3 ft.	Apr.-Jul.
<i>Symphyotrichum georgianum</i>	Georgia Aster	Sun-Part Shade	Low	1-1.5 ft.	Sep.-Oct.
<i>Symphyotrichum novae-angliae</i>	New England Aster	Sun-Part Shade	Low	2-3 ft.	Aug.-Sep.
<i>Thermopsis mollis</i>	Allegheny Mountain Goldenbanner	Sun-Part Shade	Medium	18 in.	May-Jun.
<i>Thermopsis villosa</i>	Carolina Lupine	Sun-Part Shade	Medium		
<i>Tiarella cordifolia</i> 'Brandywine'	Heartleaf Foamflower	Shade	Medium	1 ft.	Apr.-May
<i>Triadenum walteri</i>	Marsh St. John's Wort	Part Shade	Medium-high	1 ft.	Sep.-Oct.
<i>Vernonia angustifolia</i>	Narrowleaf Ironweed	Part Shade- Shade	Low	3-5 ft.	Aug.-Sep.
<i>Veronicastrum virginicum</i>	Culver's Root	Shade, Part Shade	Moist	4-5 ft.	Aug.-Sep.

<i>Scientific Name</i>	<i>Common Name</i>	<i>Light requirement</i>	<i>Water Use</i>	<i>Height</i>	<i>Bloom Period</i>
<u>Perennials</u>					
<i>Waldsteinia fragarioides</i>	Appalachian Barren Strawberry	Part Shade- Shade	Low-high	6-12 in.	Apr.-May
<i>Xanthorhiza simplicissima</i>	Yellowroot	Part Shade	High-medium	1-3 ft.	Apr.-May
<u>Shrubs</u>					
<i>Aronia arbutifolia</i> *NEW	Red Chokeberry	Sun	Moist	6-12 ft.	May
<i>Aronia melanocarpa</i> *NEW	Black Chokeberry	Part Shade	Moist	6-12 ft.	May
<i>Calycanthus floridus</i>	Sweetshrub	Part Shade	Medium-high	6-12 ft.	Apr.-Jul.
<i>Clethra alnifolia</i> *NEW	Sweet Pepperbush	Sun-Shade	Moist	3-6 ft.	Jul.-Aug.
<i>Cornus amomum</i>	Silky Dogwood	Shade-Part Shade	Medium-high	12 ft.	May-Jun.
<i>Hydrangea arborescens</i> 'Haas' Halo' *NEW	Smooth Hydrangea	Shade-Part Shade	Moist-dry	3-5 ft.	
<i>Myrica cerifera</i>	Wax Myrtle	Sun-Shade	Dry-Moist	6-12 ft.	May
<i>Philadelphus inodorus</i>	Scentless Mockorange	Part Shade	Dry-medium	6-8 ft.	May
<i>Rhamnus caroliniana</i>	Carolina Buckthorn	Part Shade	Average-moist	12-36 ft.	Apr.-May
<i>Vaccinium ashei</i> *NEW	Rabbit Eye Blueberry	Sun-Part Shade	Medium	6-8 ft.	April, fall color
<i>Vaccinium ashei</i> 'Alpaha' *NEW	Rabbit Eye Blueberry	Sun-Part Shade	Medium	6-8 ft.	April, fall color
<i>Vaccinium ashei</i> 'Austin' *NEW	Rabbit Eye Blueberry	Sun-Part Shade	Medium	6-8 ft.	April, fall color
<i>Vaccinium ashei</i> 'Brightwell' *NEW	Rabbit Eye Blueberry	Sun-Part Shade	Medium	6-8 ft.	April, fall color
<i>Vaccinium corymbosum</i> *NEW	Northern Highbush Blueberry	Sun-Part Shade	Medium-wet	5-8 ft.	May, fall color
<i>Vaccinium elliotii</i> *NEW	Elliott's Blueberry	Sun-Shade	Average	12 ft.	April, fall color
<i>Viburnum dentatum</i> *NEW	Arrowwood	Sun-Shade	Average-moist	6-12 ft.	May-Jul.
<u>Trees</u>					
<i>Aesculus pavia</i>	Red Buckeye	Sun-Shade	Average	10-30 ft.	Mar.-Apr.
<i>Amelanchier arborea</i> *NEW	Downy Serviceberry	Sun-Shade	Average-dry	12-36 ft.	Apr.-May
<i>Asimina triloba</i>	Pawpaw	Part Shade -Shade	Medium	12-36 ft.	Apr.-May
<i>Carpinus caroliniana</i>	American Hornbeam	Sun-Shade	Medium-high	20-30 ft.	Apr.
<i>Carpinus caroliniana</i>	American Hornbeam	Sun-Shade	Medium-high	20-30 ft.	Apr.
<i>Cephalanthus occidentalis</i>	Button Bush	Part Shade -Shade	High	6-12 ft.	Jun.-Jul.
<i>Cercis canadensis</i> *NEW	Redbud				
<i>Cercis canadensis</i> 'Forest Pansy' *NEW	Redbud 'Forest Pansy'	Part Shade	Average	20-30 ft.	Mar.-Apr.
<i>Cercis canadensis</i> 'The Rising Sun' *NEW	Redbud 'The Rising Sun'	Part Shade	Average	8-12 ft.	April
<i>Cornus florida</i>	Flowering Dogwood	Shade-Part Shade	Medium-high	36 ft.	Apr.

<i>Scientific Name</i>	Common Name	Light requirement	Water Use	Height	Bloom Period
<u>Trees</u>					
<i>Diospyros americana</i> *NEW	Persimmon	Sun-Part Shade	Dry-average	35-60 ft.	May-Jun.
<i>Ilex opaca</i> *NEW	American Holly	Sun-Shade	Dry-moist	40-50 ft.	Mar.-Jun.
<i>Juglans cinerea</i> *NEW	Butternut	Sun - Shade	Medium	40-60 ft.	May-Jun.
<i>Juniperus virginiana</i>	Red Cedar	Sun	Medium-low	30-65 ft.	
<i>Magnolia virginiana</i> *NEW	Sweetbay Magnolia	Part Shade	Moist	36-72 ft.	Apr.-Jul.
<i>Nyssa sylvatica</i> *NEW	Black Gum	Sun-Shade	Average-moist	30-50 ft.	fall color
<i>Ostrya virginiana</i>	Eastern Hophornbeam	Part Shade	Average	20-50 ft.	inconspicuous
<i>Oxydendrum arboreum</i> *NEW	Sourwood	Part Shade	Average	36-72 ft.	July
<i>Prunus americana</i> *NEW	American Plum	Sun-Part Shade	Average	36 ft thicket	March
<i>Prunus angustifolia</i> *NEW	Chickasaw Plum	Sun-Part Shade	Average	36 ft thicket	March
<i>Prunus umbellata</i>	Hog Plum	Sun-Shade	Medium	2-4 ft.	Jun.-Sep.
<i>Quercus coccinea</i>	Scarlet Oak	Full Sun, Part Sun	Medium	70 ft.	Mar., fall color
<i>Quercus michauxii</i>	Swamp Chestnut Oak	Part Shade	Medium	75-100 ft.	Fall color
<i>Quercus rubra</i>	Northern Red Oak	Sun-Shade	Medium	100 ft.	Fall color
<i>Sambucus canadensis</i> *NEW	American Black Elderberry	Sun-Shade	Average-moist	12 ft.	Jun.-Jul.
<i>Sassafras albidum</i> *NEW	Sassafras	Sun-Shade	Average-dry	30-50 ft.	May-Jun.
<u>Vines</u>					
<i>Apios americana</i> *NEW	Groundnut	Shade	Moist	1 ft. trailing vine	Jul.-Sep.
<i>Bignonia capreolata</i>	Crossvine	Sun-Part Shade	Low-Medium	36-72 ft. (vine)	Mar.-May
<i>Centrosema virginianum</i>	Spurred Butterfly Pea	Sun-Shade	Medium-low	6-12 ft.	Jul.-Aug.
<i>Lonicera sempervirens</i> 'John Clayton'	Yellow Honeysuckle				
<i>Lonicera sempervirens</i> 'Major Wheeler'	Coral Honeysuckle	Sun-Part Shade	Medium-low	climbing vine	Apr.-Sep.
<i>Matalea gonocarpus</i>	Angularfruit Milkvine	Sun-Part Shade	Low-high	climbing vine	Aug.-Sep.
<i>Passiflora incarnata</i>	Maypop	Full - Part Sun	Average	climbing vine	May-Sep.